


OGIKOKU

Superior Strength, Unbeatable Durability.



CATALOGUE



OGIKOKU

COOL AIR. RIGHT WHERE YOU NEED IT.

Powerful airflow.
Lasting performance.



16" (400MM)
WALL FAN



3 Speed Control

Adjust the airflow to your comfort.



Wide Angle Oscillation

Cools every corner of the room.



Overheat Protection

Built-in safety for peace of mind.



Grill for Protection

Safe design for everyday use.



Fully Copper Motor

Durable, efficient and built to last.



WHITE



BLACK



GREY



QUALITY YOU CAN TRUST
Built with premium materials for long lasting performance.



SAFETY ASSURED
Overheat protection & safety grill design for peace of mind.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

16" (400MM) WALL FAN

- *3 Speed Control
- *5AS Blade
- *Over Heat Protection
- *Grill for Protection
- *With Oscillation Function

COLOUR	WHITE	BLACK	GREY
DIMENSION	430 x 400 x 480MM	430 x 400 x 480MM	430 x 400 x 480MM
ENERGY STAR RATING	5	5	5
RPM (LOW)	980+-50	980+-50	980+-50
RPM (HIGH)	1270+-50	1270+-50	1270+-50
AIR DELIVERY (M3/3MIN)	65	65	65
MOTOR TYPE	AC	AC	AC
NOISE LEVEL (dB)	55	55	55
N.W (KG)	5	5	5
G.W (KG)	6.36	6.36	6.36
PACKING	2/CTN	2/CTN	2/CTN

① YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

BREEZE THAT BRINGS EVERYONE TOGETHER.

Powerful airflow.
Quiet comfort.



Strong Air Delivery

Powerful airflow for maximum cooling.



Blade Drop Prevention

Safety design to prevent blade dropping.



Five Speed Regulator

Adjustable speed settings for your comfort.



Fully Copper Motor

Durable, efficient and built for long-lasting performance.

60" (1500MM) CEILING FAN



BLACK



WHITE



QUALITY YOU CAN TRUST
Built with premium materials for long lasting performance.



SAFETY ASSURED
Overheat protection & safety grill design for peace of mind.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

60" (1500MM) CEILING FAN

**Strong Air Delivery *Blade Drop Prevention *Five Speed Regulator*

COLOUR	WHITE	BLACK
DIMENSION	1500MM	1500MM
ENERGY STAR RATING	5	5
RPM (LOW)	120	120
RPM (HIGH)	300	300
AIR DELIVERY (M3/3MIN)	260	260
MOTOR W (LOW)	33	33
MOTOR W (HIGH)	85	85
POWER	95W	95W
NOISE LEVEL (dB)	<65	<65
N.W (KG)	11.808	11.748
G.W (KG)	12.808	12.748
PACKING	2/CTN	2/CTN

① YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

FRESH AIR. AUTOMATICALLY.

Effective ventilation.
Comfort for busy spaces.



16" (400mm) AUTO FAN



Metal Fan Blade

Durable metal blade for strong and reliable airflow.



Over Heat Protection

Built-in thermal protection for safe operation.




Keep Normal Temperature During Operation

Maintains comfortable temperature for a consistent environment.



Fully Copper Motor

High-quality fully copper motor for better performance and durability.



QUALITY YOU CAN TRUST

Built with premium materials for long lasting performance.




SAFETY ASSURED

Overheat protection & safety grill design for peace of mind.



1 YEAR WARRANTY

One to one exchange.



OGIKOKU

16" (400MM) AUTO FAN

*Metal Fan Blade *Over Heat Protection *Keep Normal Temperature During Operation

COLOUR	WHITE
DIMENSION	445 x 445 x 33
MOTOR TYPE	AC
RPM (LOW)	1030
RPM (HIGH)	1250
AIR DELIVERY (M3/3MIN)	51
MOTOR W (LOW)	29W±5W
MOTOR W (HIGH)	43W±5W
POWER	50W±5W
NOISE LEVEL (dB)	≤68dB
N.W (KG)	6.5
G.W (KG)	7.5
PACKING	2/CTN

① YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

FRESH AIR. EVERY DAY.

Removes humidity.
Keeps your laundry
space fresh and clean.



8" / 10" / 12"
CEILING EXHAUST FAN



SAFE AND DURABLE

Built with safe
materials for
long-lasting use.



STRONG AIRFLOW

Powerful ventilation
quickly removes
humidity and odors.



FULLY COPPER MOTOR

High performance
motor for reliable
and efficient operation.



8 INCH
(200MM)



10 INCH
(250MM)



12 INCH
(300MM)



QUALITY YOU CAN TRUST
Built with premium materials
for long lasting performance.



SAFETY ASSURED
Overheat protection &
safe design for peace of mind.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

8" 10" 12" CEILING EXHAUST/VENTILATING FAN

*Safe and Durable *220-240v *Strong Airflow

SPECIFICATION:	8"	10"	12"
POWER	35W	35W	35W
RATED VOLTAGE	220-240V	220-240V	220-240V
PANEL SIZE	297*297MM	320*320MM	357*357MM
HATCH	240*240MM	280*280MM	305*305MM
COLOUR	WHITE	WHITE	WHITE
AIR DELIVERY	382 M ³ /H	624 M ³ /H	700 M ³ /H
PACKING	6/CTN	6/CTN	6/CTN

① YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

DUST OUT. IDEAS IN.

Powerful ventilation
for a cleaner,
healthier workspace.



8" / 10" / 12"
WALL EXHAUST FAN



**SAFE AND
DURABLE**

Built with safe
materials for
long-lasting use.



**STRONG
AIRFLOW**

Powerful ventilation
quickly removes
dust and stale air.



**FULLY
COPPER MOTOR**

High performance
motor for reliable
and efficient operation.



8 INCH
(200MM)



10 INCH
(250MM)



12 INCH
(300MM)



QUALITY YOU CAN TRUST
Built with premium materials
for long lasting performance.



SAFETY ASSURED
Safe design for peace of mind
in every environment.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

8" 10" 12" WALL EXHAUST/VENTILATING FAN

*Safe and Durable *220-240v *Strong Airflow

SPECIFICATION:	8"	10"	12"
POWER	40W	45W	50W
SIZE	290*290MM	340*340MM	390*390MM
HATCH	240*240MM	280*280MM	350*350MM
RATED VOLTAGE	220-240V	220-240V	220-240V
SPEED (R/MIN)	1300	1250	1100
NOISE (DB)	44	44	44
COLOUR	WHITE	WHITE	WHITE
AIR VOLUMN (CMH)	500	500	500
PACKING	6/CTN	6/CTN	6/CTN

① YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

POWER THAT WORKS.

High airflow.
Built for continuous operation.



**3 ALUMINIUM
BLADES**

Durable aluminium blades for powerful and efficient airflow.



**WIDE ANGLE
OSCILLATION**

Smooth oscillation to distribute air evenly.



**FULLY
COPPER MOTOR**

High performance motor for reliable and efficient operation.

18" / 20"
INDUSTRIAL STAND FAN



**3 ALUMINIUM
BLADES**

Durable aluminium blades for powerful and efficient airflow.



**WIDE ANGLE
OSCILLATION**

Smooth oscillation to distribute air evenly.



**FULLY
COPPER MOTOR**

High performance motor for reliable and efficient operation.



18 INCH
(450MM)



20 INCH
(500MM)

IDEAL FOR

- Workshops
- Factories
- Warehouses
- Loading Bays
- Event Spaces



QUALITY YOU CAN TRUST
Built with premium materials for long lasting performance.



SAFETY ASSURED
Safe design for peace of mind in every environment.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

18" 20" INDUSTRIAL STAND FAN

✱ 3 Aluminium Blades ✱ With Oscillation Function ✱ 3 Speed Control

SPECIFICATION:	18"	20"
BLADE SIZE	3	3
VOLTAGE	220-240V 50Hz	220-240V 50Hz
POWER	90W	120W
WIRE	3 PIN PLUG WITH 2M WIRE	3 PIN PLUG WITH 2M WIRE
FAN SPEED	1250	1260
AIR DELIVERY	69M/MIN	96M/MIN
NET WEIGHT	7.3KG	8.1KG
GROSS WEIGHT	8.4KG	9.2KG
COLOUR	BLACK	BLACK
PACKING	1/CTN	1/CTN
	660X205X510MM	710X205X565MM

① YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

POWER THAT WORKS.

High airflow.
Built for continuous
operation.



**3 ALUMINIUM
BLADES**

Durable aluminium
blades for powerful
and efficient airflow.



**WIDE ANGLE
OSCILLATION**


Smooth oscillation
to distribute air
evenly.



**FULLY
COPPER MOTOR**

High performance motor
for reliable and efficient
operation.

18" / 20"
INDUSTRIAL WALL FAN



**3 ALUMINIUM
BLADES**

Durable aluminium
blades for powerful
and efficient airflow.



**WIDE ANGLE
OSCILLATION**

Smooth oscillation
to distribute air
evenly.



**FULLY
COPPER MOTOR**

High performance motor
for reliable and efficient
operation.



18 INCH
(450MM)



20 INCH
(500MM)

IDEAL FOR

-  Workshops
-  Factories
-  Warehouses
-  Production Areas
-  Loading Bays



QUALITY YOU CAN TRUST
Built with premium materials
for long lasting performance.



SAFETY ASSURED
Safe design for peace of mind
in every environment.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

18" 20" INDUSTRIAL WALL FAN

✱ 3 Aluminium Blades ✱ With Oscillation Function ✱ 3 Speed Control

SPECIFICATION:	18"	20"
BLADE SIZE	3	3
VOLTAGE	220-240V 50Hz	220-240V 50Hz
POWER	90W	120W
WIRE	3 PIN PLUG WITH 2M WIRE	3 PIN PLUG WITH 2M WIRE
FAN SPEED	1250	1260
AIR DELIVERY	69M/MIN	96M/MIN
NET WEIGHT	3.5KG	9.85KG
GROSS WEIGHT	4.6KG	10.95KG
COLOUR	BLACK	BLACK
PACKING	1/CTN 660X205X510MM	1/CTN 710X205X565MM

① YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

BUILT FOR BIG SPACES.

Powerful airflow for
demanding environments.



WIDE ANGLE OSCILLATION

Smooth oscillation
to distribute air
evenly.



FULLY COPPER MOTOR

High performance motor
for reliable and efficient
operation.

26"

INDUSTRIAL STAND FAN



WIDE ANGLE OSCILLATION

Smooth oscillation
to distribute air
evenly.



FULLY COPPER MOTOR

High performance motor
for reliable and efficient
operation.



26 INCH
(650MM)

IDEAL FOR

-  Automotive Workshops
-  Factories
-  Warehouses
-  Production Areas
-  Large Workspaces



QUALITY YOU CAN TRUST
Built with premium materials.
for long lasting performance.



SAFETY ASSURED
Safe design for peace of mind
in every environment.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

26" INDUSTRIAL STAND FAN (BLACK)

SPECIFICATION:		26" INDUSTRIAL STAND FAN
BLADE SIZE		2
VOLTAGE		220-240V 50/60Hz
POWER		210W
WIRE		3 PIN PLUG WITH 1.8 WIRE
FAN SPEED		1380
AIR DELIVERY		134M/MIN
NET WEIGHT		15.3KG
GROSS WEIGHT		16.2KG
COLOUR		BLACK
PACKING		390X195X275MM (MOTOR CARTON) 720X180X720MM (FAN BLADE & GUARD CARTON) 120X230MM (ADJUST ROD CARTON) 520X60X520MM (BASE CARTON)

① YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

STAY COOL. STAY IN THE GAME.

Powerful airflow for
high performance spaces.



**WIDE ANGLE
OSCILLATION**

Smooth oscillation
to distribute air
evenly.



**FULLY
COPPER MOTOR**

High performance motor
for reliable and efficient
operation.

26"
INDUSTRIAL WALL FAN



**WIDE ANGLE
OSCILLATION**

Smooth oscillation
to distribute air
evenly.



**FULLY
COPPER MOTOR**

High performance motor
for reliable and efficient
operation.



26 INCH
(650MM)

IDEAL FOR

- Sports Courts
- Community Halls
- Pickleball Centres
- Badminton Halls
- Multi-purpose Halls



QUALITY YOU CAN TRUST
Built with premium materials.
for long lasting performance.



SAFETY ASSURED
Safe design for peace of mind
in every environment.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

26" INDUSTRIAL WALL FAN (BLACK)


SPECIFICATION:	26" INDUSTRIAL WALL FAN
BLADE SIZE	2
VOLTAGE	220-240V 50/60Hz
POWER	180W
WIRE	3 PIN PLUG WITH 1.8 WIRE
FAN SPEED	1380
AIR DELIVERY	134M/MIN
NET WEIGHT	8.6KG
GROSS WEIGHT	8.84KG
COLOUR	BLACK
PACKING	450X330X205MM (WALL MOUNT KIT CARTON) 720X180X720MM (FAN BLADE & GUARD CARTON) 390X195X275MM (MOTOR CARTON)

1 YEAR WARRANTY ONE TO ONE EXCHANGE

OGIKOKU

A little breeze. A better day.

Powerful airflow.
Everyday comfort.



Height
Adjustment



Strong
Airflow



Fully
Removable &
Washable



Double
Ball Bearing

10" Turbo Stand Fan



WHITE GRAY



BLACK GRAY



BLACK



GRAY



QUALITY YOU CAN TRUST
Built with premium materials
for long lasting performance.



SAFETY ASSURED
Overheat protection & safety grill
design for peace of mind.



1 YEAR WARRANTY
One to one exchange.



OGIKOKU

10" TURBO STAND FAN

✱ Height Adjustment ✱ Strong Airflow ✱ Fully Removable & Washable

SPECIFICATION :		10"
SIZE		270MM*1120MM
COLOUR		BLACK+GRAY / GRAY+WHITE / BLACK / GRAY
VOLTAGE		220-240V 50-60Hz
POWER		90W
AIR DELIVERY		2320M ³ / H
PACKING		1/CTN
CTN SIZE		435*142*325MM

1 YEAR WARRANTY ONE TO ONE EXCHANGE